# **WHAT'S NEW 2022**

## LED T8 BALLAST BYPASS LAMPS WITH SAFETY MAX™ COATING

- PTFE coated lamps help to contain broken glass if a lamp is dropped
- Double ended tube
- 3 500 K, 4 000 K and 5 000 K
- 120-347 V 15 W up to 2200 Im





#### L1RUH - 2 CCT AND POWER SELECTABLE ROUND ECONOMIC HIGH BAY

ATTV

or the second second

۵Ö

- CCT and power selectable configurations available
- Emergency back-up option
- Integrated PIR or microwave sensor
- IP65
- Nema 4X and NSF



### L1LEH - ECONOMIC LED LINEAR HIGH BAY LUMINAIRE

- Optional integrated sensor
- 6' Cable standard in all configurations
- Multiple mounting options available





# **WHAT'S NEW 2022**

#### CIRKA SQUARE LED CEILING LUMINAIRE - 3 CCT SELECTABLE

- Available in 7", 9", 12"
- 3 000/4 000/5 000 K selectable color temperature
- Well thought twist-lock installation, enjoy a seamless alignment and installation!





### SMV - PURE SINEWAVE FAST-TRANSFER MINI-INVERTER

· Covers 525 Watts up to 2200 Watts.

- Switch time under 2ms
- · Wall mount, stand or floor mount available
- · Features Intellistat monitoring
- 3 monitored output fuses at 347 V and 6 monitored output breakers at 120 V

#### **B3NV - EMERGENCY LIGHTING INVERTERS THREE PHASE**

- 3-Phase Inverter
- Runtime from 30 to 120 minutes
- Available capacity from 8 KW to 48 KW





# **WHAT'S NEW 2022**

ABABABA

**EXIT** 

## **LED EXIT LAMPS KIT**

- Easy retrofit solution: Each retrofit kit comes with multiple adapters and adjustable bases
- Convenient packaging: Blister pack and bulk 2-pack
- 5 year warranty
- Flicker free





#### **LED G9 LAMPS - DESIGN SERIES**

- 3 000 & 4 000 K
- Clear finish
- DimmableSuitable for enclosed fixtures
- Suitable for enclosed fix





## END CAPS FOR CONDUIT ENTRY - L2WMG

- Allows row dimming for our LED Linkable Wrap L2WMG series
- Simple, convenient solution for conduit continuous mount
- Sold as an accessory in a set of 2 end caps





# **WHAT'S NEW 2022**

## A & PS LED LAMPS - HIGH INTENSITY REPLACEMENT

- A21 and PS30 lamps
- 2 000 to 4 500 lumens
- 3 000, 4 000 & 5 000 K
- 5 year warranty
- Suitable for enclosed fixtures and damp location







- · Higher efficacy 116 lm/W
- DLC 5.1 Standard
- 0-10 V dimming (dimming with row mounting only available
- when hardwired using the end cap for conduit entry)
- Row mount up to 15 luminaires with the connectors





#### SINGLE RING - LED CEILING LUMINAIRE CCT SELECTABLE

- Available in 12" and 14"
- 2 700/3 000/3 500/4 000/5 000 K selectable color temperature
- CCT switch discreetly located on LED board, easy access by
- removing the lensQuick and easy installation







# **WHAT'S NEW 2022**

#### **DOUBLE RING - LED CEILING LUMINAIRE 5 CCT SELECTABLE**

- Available in 12", 14" and 16"
- 2 700/3 000/3 500/4 000/5 000 K selectable color temperature
- CCT switch discreetly located on LED board, easy access by removing the lens
- Quick and easy installation







#### RETRO 5 CCT SELECTABLE - 4" AND 5-6" LED RETROFIT DOWNLIGHT

- White finish in round 4" and 5-6"
- 5 CCT selectable (2 700/3 000/3 500/4 000/5 000 K)
- CCT switch is directly placed on the side of the LED module
- · Easy installation with quick connect wire and E26 socket adaptor



### **180° HIGH-INTENSITY LED LAMP** - COLOR AND POWER SELECTABLE

- CCT Selectable (3 000/4 000/5 000 K)
- Power Selectable (20/30/40 W)
- Lumen output range: 2 194 4 607 lumens
  120-277 V
- 120-277 V
- 50 000 hours





# **WHAT'S NEW 2022**

## CONTEMPORARY- SVANCO - 3 CCT SELECTABLE LED WALL SCONCE

- Available in 14", 24" and 38" with lumens up to 2 400 Im
- 3 000/3 500/4 000 K selectable color temperature
- 3 finishes to choose from black, brushed nickel or chrome
  90+ CRI to install vibrant true-to-life colors in the chosen space





## MOON LED CEILING LUMINAIRE - 3 CCT SELECTABLE SLIM DESIGN WITH UPLIGHT HALO

• Available in 12" and 16"

- 3 000/4 000/5 000 K selectable color temperature
- · Slim design ideal for low ceiling applications requiring additional clearance
- · Compatible black trims available as accessory to complement the desired space



### DRUM LED CEILING LUMINAIRE - 5 CCT SELECTABLE

- Available in 12" and 14"
- 2 700/3 000/3 500/4 000/5 000 K selectable color temperature
- CCT switch discreetly located on LED board, easy access by
- removing the lens

  Quick and easy installation







# **WHAT'S NEW 2022**

## L2SSQ - LED SLIM STRIP WITH SQUARE LENS 3 CCT SELECTABLE

- Available in 4ft (5 985 lm 45 W) and 8ft (11 970 lm 90 W)
- 3 CCT selectable 3 500/4 000/5 000 K
- 120-347 V with 0-10 V dimming
- DLC Premium and DLC Standard





### CDU - 4", 6" AND 8" DIMMABLE DOWNLIGHT WITH 3 CCT AND 3 POWER SELECTABLE

- White finish in round 4", 6" and 8"
- 0-10V dimming
- 3 CCT (3 000/3 500/4 000) and 3 Power selectable
- CCT and power switches are directly placed on the back of the LED module
- Easy installation with torsion spring mounting clips



#### ALK-L GEN. 2 - LED AREA LIGHT WITH VARIETY OF DISTRIBUTION TYPES AND OPTIONS

- · New 300 W and 400 W packages delivering up to 67,000 LM
- Distribution types III, IV & V with rotatable lens options
- 3 000 K, 4 000 K, 5 000 K





